

M-30 Assembly — Adapter and Restrictor Options



M-30-5AC18

1/8" NPT Female Acetal Adaptor



M-30-5AC14

1/4" NPT Female Acetal Adaptor



M-30-5AL

1/4" NPT Male Aluminum Adaptor




M-30-5SS

1/4" NPT Male Stainless Steel Adaptor



M-30-5AC

1/4" NPT Male Acetal Adaptor




M-30-4B

.093 Flow Restrictor



M-30-4A

.125 Flow Restrictor



M-30-4

.187 Flow Restrictor

Screen Options

- 1) M-30-51C-2C, M-30-5AC-3 – Screen disc, 100 mesh; retaining ring
- 2) M-30-5AC-2B, M-30-5AC-3 – Screen disc, 50 mesh; retaining ring
- 3) M-30-5AC-2, M-30-5AC-3 – Screen disc, 80 mesh; retaining ring



8360-ADP-1

Cap Adapter - w/ O-Ring



8360-ADP14-1

Cap Adapter - 1/4" NPT w/ O-Ring




8360-ADP18-1

Cap Adapter - 1/8" NPT w/ O-Ring



8360-RST-D6

.093 Restrictor Insert



8360-RST-D8

.125 Restrictor Insert



8360-RST-D11

.187 Restrictor Insert

Seal Options

- 1) 89969, 8362-PS – DE4 Orifice, Seal 2) 89971, 8362-PS – DE5 Orifice, Seal 3) 89968, 8362-PS – DE6 Orifice, Seal 4) 89967, 8362-PS – DE7 Orifice, Seal
5) 89966, 8362-PS – DE8 Orifice, Seal 6) 89965, 8362-PS – DE10 Orifice, Seal 7) 89964, 8362-PS – DE12 Orifice, Seal



2CV Assembly — Adapter Options



**M-30-
5AC-8360**

M-30 Valve / 8360 TeeJet Adapter

There is only one adapter option for the 2CV Assembly. There are no restrictor options.